

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	345	382/117.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:36
L2	1022	382/115.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:37
S1	1	"6542624".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 16:44
S3	1	10/506311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:23
S5	10	kondo.in. and azuma.in. and wakamori.in. and iris and registrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 17:02
S6	2	2003/0152252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 16:57
S7	2	"20030152252"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:36
S8	2	2003/0152252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 16:58

EAST Search History

S9	11	("20020118864" "20030002714" "20030011758" "20030152252" "5016282" "5784145" "5901238" "6591001" "6762794" "6850631" "6873714").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/21 16:59
S10	4	2001/0026632	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 17:03
S11	1	"7099495"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 17:02
S12	1	"20010026632"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/21 17:03
S13	1	"4641349".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 16:55
S14	1	(feature adj data) and (pupil with iris with (diameter or radius)) and database and image and (relational adj expression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:26
S15	372	(pupil with iris with (diameter or radius))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:28
S16	64497	"382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:27

EAST Search History

S18	52	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:27
S19	5	(pupil with iris with (diameter or radius) with ratio) same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:28
S20	5	(pupil with iris with (diameter or radius) with ratio) same database and image\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:29
S23	11	(pupil with iris with (diameter or radius)) same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:13
S24	6	S23 not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:52
S25	83	(acquire with image\$1) and (pupil same iris) and (registration and authentication) and database and image and ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:55
S26	4	S25 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:53
S27	199	kondo.in. and (iris or pupil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:57

EAST Search History

S28	859	kondo-kenji.in. or azuma-takeo.in. or wakamori-masahiro.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:57
S29	71	S28 and (pupil or iris)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:59
S30	41	S28 and (pupil same iris)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 17:59
S31	6	S28 and (pupil same iris same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:09
S32	345	382/117.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:09
S34	3	"4641349".pn. "5559504".pn. "6633655".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:12
S35	26	(eye adj colo\$1r) and (iris same pupil) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:15
S36	1	(eye adj colo\$1r) and (iris same pupil same ratio) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:15

EAST Search History

S37	196	iris with registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:44
S38	75	iris with registration and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:44
S39	31	iris with registration and database and iris with authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:44
S40	39	iris with registration and database and iris with (authentication or verification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:44
S41	39	(iris with registration) and database and (iris with (authentication or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:45
S42	19	(iris near3 registration) and database and (iris near3 (authentication or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:46
S43	17	((iris or pupil) near2 registration) and database and ((iris or pupil) near3 (authentication or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:46
S44	17	((iris or pupil) near2 registration) and database and ((iris or pupil) near2 (authentication or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 19:08

EAST Search History

S45	1	"5291560".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:51
S46	4	2002/0181749	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:52
S47	2	"20020181749"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 18:52
S48	5	((iris or pupil) near2 registration). clm. and database and ((iris or pupil) near2 (authentication or verification)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 19:08
S49	11	((iris or pupil) near2 (registration or register\$3)).clm. and database and ((iris or pupil) near2 (authentication or verification or authenticat\$3 or verif\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 19:11
S50	5	((iris or pupil) near2 (registration or register\$3)).clm. and ratio and ((iris or pupil) near2 (authentication or verification or authenticat\$3 or verif\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 19:11
S51	868	(stop or halt) with authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:52
S52	103	((stop or halt) with authentication) and iris	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:51

EAST Search History

S53	8	((stop or halt) with authentication) and iris and \$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:53
S54	14	((stop or halt) with authentication) and r\$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:54
S55	14	((stop or halt or abort) with authenticat\$3) and r\$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:54
S56	18	((stop\$3 or halt\$3 or abort\$3) with authenticat\$3) and r\$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:54
S57	24	((stop\$3 or halt\$3 or abort\$3) same authenticat\$3) and r\$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:55
S58	228	re\$1acquire same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:58
S59	62	re\$1acquire near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 20:58
S60	12	(re\$1acquire near3 image) same (illumin\$5 or light\$3 or condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 21:02

EAST Search History

S61	102	(pupil near2(diameter or radius)) same (iris near2 (diameter or radius))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 21:23
S62	93	(pupil near2(diameter or radius)) with (iris near2 (diameter or radius))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 21:24
S63	13	(pupil near2(diameter or radius)) with (iris near2 (diameter or radius)) with ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:39
S64	1	transformation adj rule same iris	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:39
S65	155	transformation same iris	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:40
S66	41	"382".clas. and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:40
S67	7	transformation same iris same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:41
S68	40	transformation same iris and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:41

EAST Search History

S69	64497	"382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:41
S70	19	S68 and S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:41
S71	5	transformation with function same iris and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:43
S72	3	09/596085	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:52
S75	8	(light\$3 or illumination) same re\$1acquire near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:54
S76	62	re\$1acquire near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:55
S77	159	(re\$1acquire or re\$1take or (take adj again)) near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:56
S78	23	(re\$1acquire or re\$1take or (take adj again)) near3 image same (illuminat\$3 or light\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:03

EAST Search History

S79	64497	"382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/06 23:56
S80	1	"6,836,554".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:08
S81	17	estimated with captur\$3 with condition same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:09
S82	113	estimated with captur\$3 with (light\$3 or illumination) same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:11
S83	4	estimated with captur\$3 with (light\$3 or illumination) same image same (person or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:10
S84	26	S79 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:13
S85	5	(estimat\$4 with captur\$4 with condition) with (person or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:14
S86	18955	alert near2 (user or person)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:14

EAST Search History

S87	546	alert near2 (user or person) near2 condition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:49
S88	273	alert near2 (user or person) near2 light\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:15
S89	1	S88 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:15
S90	583	transformation adj rule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:15
S91	36	S69 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 00:16
S92	14	S69 and S90 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:44
S94	12	(iris or pupil or eye\$2) and (identified) same (instruction\$1) same open\$3 same degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:46
S95	549524	(iris or pupil or eye\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:57

EAST Search History

S96	281842	"382".clas. or "348".clas. or "600". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:46
S97	39789	S95 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:47
S98	77	S97 and re\$1acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:47
S99	45309	((iris or pupil or eye\$2) with open\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:48
S10 0	3356	S99 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:49
S10 1	3366586	illuminat\$3 or light\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:51
S10 2	2802	S100 and S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:50
S10 3	7	S100 and S101 and re\$1acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:50

EAST Search History

S10 4	429	(iris or pupil or eye\$2) same (identif\$3) same instruction\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:51
S10 5	80	S104 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:53
S10 8	2451	no\$1 adj identif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:56
S10 9	404	S108 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:56
S11 0	281842	S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:56
S11 2	33	S109 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:58
S11 3	71448	(iris or pupil or eye\$2).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:57
S11 4	13144	(iris or pupil or eye\$2).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:57

EAST Search History

S11 5	76113	S113 or S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 07:57
S11 7	4821	S115 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:01
S11 8	7	S117 and re\$1acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:00
S12 0	1390	S117 and (identif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:08
S12 1	133	((pupil or iris) with open\$3) and S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:42
S12 2	105	S121 not (red near2 eye)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:26
S12 3	52	S121 not (red near2 eye) and condition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:39
S12 4	5	S121 not (red near2 eye) and (condition with (prefer\$4 or optim\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:26

EAST Search History

S12 5	28	S121 not (red near2 eye) and condition and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:39
S12 6	19	((pupil or iris) with open\$3) and S120 and \$3acquire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:45
S12 7	188	\$3acquire same estimate\$3 same condition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:45
S12 8	1	S127 and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:45
S12 9	13	\$3acquire same estimate\$3 same condition and (iris or eye or pupil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:47
S13 0	4	\$3acquire same estimate\$3 same condition and (iris or pupil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:47
S13 1	1096	alert near2 (user or person or operator) near2 condition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:49
S13 2	5	S115 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:49

EAST Search History

S13 3	1698	preferable adj condition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:51
S13 4	101	preferable adj condition and (iris or pupil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:51
S13 5	25	preferable adj condition and (iris or pupil) and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 08:51
S13 6	29684	nishida.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:00
S13 7	22	nishida.in. and iris	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:01
S13 8	56	nishida.in. and (iris or pupil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:01
S13 9	583	transformation adj rule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:01
S14 0	1	S139 and nishida	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:06

EAST Search History

S14 1	18305	encryption adj key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:07
S14 3	50	encryption adj key and pupil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:10
S14 4	6	encryption adj key and pupil and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/07 09:10